

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	US-20050177633-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 20:05
S2	4	"6354689".pn. OR US-20020060707-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 15:22
S3	5	(@pd<"20021202" OR @ad<"20021202") AND (timeslot near3 arbitration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 16:58
S4	795	711/158.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 18:15
S5	15798	(@pd<"20021202" OR @ad<"20021202") AND ((access or transaction or operation or request) near5 queue)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 17:38
S6	269	(@pd<"20021202" OR @ad<"20021202") AND ((access or transaction or operation or request) near5 queue near5 arbitrat \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 17:26
S7	2	"6684301".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 17:40
S8	5	("5377341" "5832304" "6202101" "6356972"). PN. OR ("6684301"). URP.N.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/28 17:43

S9	0	(@pd<"20021202" OR @ad<"20021202") AND ((out adj "of" adj order adj execution) or "out-of-order-execution") AND (access near3 (requests or commands)) AND ((lookahead or future or "n + 1") near2 pointer\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/29 22:34
S10	0	(@pd<"20021202" OR @ad<"20021202") AND ((out adj "of" adj order adj execution) or "out-of-order-execution") AND (access near3 (requests or commands)) AND (pointer \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/28 18:12
S11	586	(@pd<"20021202" OR @ad<"20021202") AND (711/158.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 18:05
S12	1833	(@pd<"20021202" OR @ad<"20021202") AND ((access near3 (transaction \$1 or operation\$1 or request\$1)) near5 arbitrat \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 17:30
S13	37	(@pd<"20021202" OR @ad<"20021202") AND ((access near3 (transaction \$1 or operation\$1 or request\$1)) near5 arbitrat \$3) and (timeslot\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 18:05
S14	27	(@pd<"20021202" OR @ad<"20021202") AND (711/158.ccls.) AND (high \$3 near2 latency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 18:06
S15	33	(@pd<"20021202" OR @ad<"20021202") AND (711/158.ccls.) AND ((high \$3 or larg\$3 or big\$4) near2 latency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 18:12
S16	328	(@pd<"20021202" OR @ad<"20021202") AND (priorit\$5 near3 (high\$3 or big\$4 or large\$2 or long \$3) near2 latency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 21:29

S17	0	(@pd<"20021202" OR @ad<"20021202") AND ((priorit\$5 near3 (high\$3 or big\$4 or large\$2 or long \$3) near2 latency) SAME timeslot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 18:15
S18	4543	(@pd<"20021202" OR @ad<"20021202") AND (access AND (arbit\$6 or manage\$4)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 19:15
S19	43	("3350694" "4521851" "4774659" "4791554" "4809217" "5008808" "5140683" "5583134" "5603063" "5613155" "5666551" "5732236" "5787298" "5796413" "5809278" "5812799" "5822772").PN. OR ("6112265").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/09/29 18:46
S20	2	"5937205".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 19:17
S21	2	"5606703".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 19:17
S22	349	(@pd<"20021202" OR @ad<"20021202") AND (priorit\$5) AND ((queue or buffer) WITH (access near1 (request\$1 or command\$1 or transaction \$1)) OR (memory near1 (request\$1 or command\$1 or transaction\$1))) AND (current near2 pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 19:24

S23	154	(@pd<"20021202" OR @ad<"20021202") AND (priorit\$5) AND ((queue or buffer) WITH (access near1 (request\$1 or command\$1 or transaction\$1)) OR (memory near1 (request\$1 or command\$1 or transaction\$1))) AND ((current near2 pointer) SAME (queue or buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 21:15
S24	6	(@pd<"20021202" OR @ad<"20021202") AND (priorit\$5) AND ((queue or buffer) WITH (access near1 (request\$1 or command\$1 or transaction\$1)) OR (memory near1 (request\$1 or command\$1 or transaction\$1))) AND (current near2 pointer) AND ((future or lookahead or newest or "most-recent" or "most-recently" or (most adj recent\$2)) near2 pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 19:48
S25	522	10/727157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 20:05
S26	267	(@pd<"20021202" OR @ad<"20021202") AND (((time adj slot) or timeslot) WITH ((access near1 (request\$1 or command\$1 or transaction\$1)) OR (memory near1 (request\$1 or command\$1 or transaction\$1))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 20:33
S27	88	(@pd<"20021202" OR @ad<"20021202") AND (((time adj slot) or timeslot) WITH ((access near1 (request\$1 or command\$1 or transaction\$1)) OR (memory near1 (request\$1 or command\$1 or transaction\$1)))) AND (priorit\$5 near6 (access\$2 or request\$1 or command\$1 or transaction\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 20:35

S28	29	(@pd<"20021202" OR @ad<"20021202") AND (((time adj slot) or timeslot) WITH ((access near1 (request\$1 or command\$1 or transaction\$1)) OR (memory near1 (request\$1 or command\$1 or transaction\$1)))) AND (priorit\$5 near6 (access\$2 or request\$1 or command\$1 or transaction\$1)) AND ((initiat\$3 or execut\$3 or start\$3 or perform\$3) WITH (access or request\$1 or command\$1 or transaction\$1) WITH (earl\$2 or sooner or next))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 21:30
S29	21	(@pd<"20021202" OR @ad<"20021202") AND ((high\$2 adj priorit\$5) WITH ((high\$3 or big\$3 or large\$2 or long\$2) adj1 latency))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 21:17
S30	5	(@pd<"20021202" OR @ad<"20021202") AND ((initiat\$3 or execut\$3 or start\$3 or perform\$3) near5 ("high latency" or slower) near2 (entr\$3 or command\$1 or transaction\$1 or access\$2 or request\$1)) near6 before)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 21:33
S31	0	(@pd<"20021202" OR @ad<"20021202") AND ((initiat\$3 or execut\$3 or start\$3 or perform\$3) near5 (((high\$3 or larg\$3 or big\$4) near2 latency)) near2 (entr\$3 or command\$1 or transaction\$1 or access\$2 or request\$1)) near6 before)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 21:33
S32	2	(@pd<"20021202" OR @ad<"20021202") AND ((priority near2 granted) near5 (limited))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/29 22:53

S33	61	(@pd<"20021202" OR @ad<"20021202") AND ((priority near2 (granted or given)) near5 (limited))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/29 22:55
S34	11	(@pd<"20021202" OR @ad<"20021202") AND ((priority near2 (granted or given)) near5 (certain near2 number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/29 22:55
S35	1	(@pd<"20021202" OR @ad<"20021202") AND ((priority near2 (granted or given)) near5 (limited near2 number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/09/29 22:55
S36	2	"20050177633".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/21 13:56
S37	62	(@pd<"20021202" OR @ad<"20021202") AND ((priority near2 (granted or given)) near5 (limited))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/21 14:25
S38	11	(@pd<"20021202" OR @ad<"20021202") AND ((priority near2 (granted or given)) near5 (certain near2 number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/21 14:25
S39	829	711/158.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/21 14:25
S40	215	(@pd<"20021202" OR @ad<"20021202") AND (((access or read or write) adj (request\$1 or command\$1)) SAME ((busses or buses) WITH arbit\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 09:39

S41	47	(@pd<"20021202" OR @ad<"20021202") AND (((access or read or write) adj (request\$1 or command\$1)) SAME ((busses or buses) WITH arbit\$6)) AND (bus\$2 WITH latenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 09:41
S42	45	(@pd<"20021202" OR @ad<"20021202") AND (((access or read or write) adj (request\$1 or command\$1)) SAME ((busses or buses) WITH arbit\$6)) AND ((bus or buses or busses) WITH latenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 09:44
S43	46	(@pd<"20021202" OR @ad<"20021202") AND (((access or read or write) adj (request\$1 or command\$1)) SAME ((busses or buses) WITH arbit\$6)) AND ((bus or buses or busses) WITH ((high\$2 or low\$2) near2 speed\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 10:32
S44	2655	(@pd<"20021202" OR @ad<"20021202") AND ((bus or buses or busses) WITH ((high\$2 AND low\$2) near2 (speed\$1 or latency)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 10:38
S45	20	(@pd<"20021202" OR @ad<"20021202") AND (((access or read or write) adj (request\$1 or command\$1)) SAME ((busses or buses) WITH arbit\$6)) AND ((bus or buses or busses) WITH ((high\$2 AND low\$2) near2 speed\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 10:40
S46	0	(@pd<"20021202" OR @ad<"20021202") AND (((access or read or write) adj (request\$1 or command\$1)) SAME ((busses or buses) WITH arbit\$6)) AND ((bus or buses or busses) WITH ((fast\$2 AND slow\$2) near2 speed\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 10:40

S47	0	(@pd<"20021202" OR @ad<"20021202") AND ((access or read or write) SAME ((prioritiz\$3) WITH (slow\$2 near1 bus) SAME (fast\$2 near1 bus))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 14:16
S48	199	(@pd<"20021202" OR @ad<"20021202") AND (710/309.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 14:17
S49	360	(@pd<"20021202" OR @ad<"20021202") AND (710/313.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 14:17
S50	0	(@pd<"20021202" OR @ad<"20021202") AND ((access or read or write) SAME ((prioritiz\$3) WITH (high\$2 near2 latenc\$2 near1 bus)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 14:18
S51	1262	(@pd<"20021202" OR @ad<"20021202") AND ((initiat\$3 or start\$3) WITH (slow\$2 or (high\$2 near1 latency))) AND ((buses or busses) OR ((first adj bus) AND (second adj bus)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 14:21
S52	1262	(@pd<"20021202" OR @ad<"20021202") AND ((initiat\$3 or start\$3) WITH (slow\$2 or (high\$2 near1 latency))) AND ((buses or busses) OR ((first adj bus) AND (second adj bus)) OR (another adj bus))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 14:21
S53	203	(@pd<"20021202" OR @ad<"20021202") AND ((initiat\$3 or start\$3) WITH (slow\$2 or (high\$2 near1 latency))) AND ((buses or busses) OR ((first adj bus) AND (second adj bus)) OR (another adj bus)) AND (memory WITH arbit\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 14:23

S54	2	"6532507".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 14:31
S55	61	(@pd<"20021202" OR @ad<"20021202") AND (timeslot WITH arbit\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 14:35
S57	1	(@pd<"20021202" OR @ad<"20021202") AND (timeslot WITH arbit\$6) AND ((high\$2 OR low\$2 or large\$1 or bigger or small \$2) near2 (delay or latenc \$3)) AND (busses or buses)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 14:38
S58	3	(@pd<"20021202" OR @ad<"20021202") AND (timeslot WITH arbit\$6) AND ((high\$2 OR low\$2 or large\$1 or bigger or small \$2) near2 (delay or latenc \$3)) and (bus or busses or buses)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 14:38
S59	653	(@pd<"20021202" OR @ad<"20021202") AND (arbit\$6 near6 access) WITH ((buses or busses) OR ((first adj bus) AND (second adj bus)) OR (another adj bus)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 14:43
S60	2	"5905877".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/24 15:43
S61	7	(@pd<"20021202" OR @ad<"20021202") AND (timeslot WITH arbit\$6) AND ((high\$2 OR low\$2 or large\$1 or bigger or small \$2) near2 (delay or latenc \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/26 13:18

S62	27	(@pd<"20021202" OR @ad<"20021202") AND (710/309.ccls.) AND ("711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/26 13:19
S63	36	(@pd<"20021202" OR @ad<"20021202") AND (710/313.ccls.) AND ("711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/26 13:19
S64	33	(S62 OR S63) AND ((request\$3 or command \$3) WITH (FIFO OR queue \$3 OR buffer\$3 OR list \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/26 15:22
S65	27	(@pd<"20021202" OR @ad<"20021202") AND (710/309.ccls.) AND ("711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/27 13:20
S66	36	(@pd<"20021202" OR @ad<"20021202") AND (710/313.ccls.) AND ("711".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/27 13:20
S67	28	(S65 OR S66) AND ((request\$3 or command \$3) WITH (FIFO OR queue \$3 OR buffer\$3 OR list \$3)) AND ((buses or busses) OR ((first adj bus) AND (second adj bus)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/27 13:20
S68	91	(@pd<"20021202" OR @ad<"20021202") AND ((read adj bus) WITH (write adj bus)) AND (memory WITH arbit\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/27 15:32
S69	241	(@pd<"20021202" OR @ad<"20021202") AND ((read adj bus) WITH (write adj bus)) AND (memory WITH (arbit\$6 or controller\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/27 15:33

S70	4	"5444075".pn. OR "20030185085".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 16:17
S71	12	(@pd<"20021202" OR @ad<"20021202") AND ((read adj bus) WITH (write adj bus)) AND (memory WITH (arbit\$6 or controller\$1)) AND ((writ\$3 or read\$3) near latenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/27 16:41
S72	5	(@pd<"20021202" OR @ad<"20021202") AND ((read adj bus) WITH (write adj bus)) AND (memory WITH arbit\$6) AND ((writ\$3 or read\$3) near latenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/27 16:41
S73	1	(longest near job near first)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 17:27
S74	2	"5444705".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/27 17:28
S75	2	"6072800".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 10:16
S76	34	(@pd<"20021202" OR @ad<"20021202") AND (((high\$3 or larg\$3 or big \$4) near2 latency) near bus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 10:19
S77	21	(@pd<"20021202" OR @ad<"20021202") AND (((high\$3 or larg\$3 or big \$4) near2 latency) near bus) and (busses or buses)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 10:21

S78	2	"20070076723".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 10:59
S79	2	"7164919".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/28 10:59
S80	6	(@pd<"20021202" OR @ad<"20021202") AND ((busses or buses or (first bus)) near3 (high\$3 latenc \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/28 12:54
S81	36	(@pd<"20021202" OR @ad<"20021202") AND (busses or buses or (first bus)) AND ((busses or buses or bus) near3 (high \$3 latenc\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/03/28 13:06
S82	1046	(@pd<"20021202" OR @ad<"20021202") AND (interleav\$3 SAME ((access or write or read) near3 (transaction\$1 or operation\$1 or request\$1 or command\$1)) SAME (time\$1 or latenc\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 17:05
S83	352	(@pd<"20021202" OR @ad<"20021202") AND "711".clas. AND (interlev \$3 SAME ((access or write or read) near3 (transaction \$1 or operation\$1 or request\$1 or command \$1)) SAME (time\$1 or latenc\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 17:05
S84	2	"6853643".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 12:39

S85	397	(@pd<"20021202" OR @ad<"20021202") AND (interleav\$3 WITH ((read near3 write) OR "read/write" OR "read-write" OR "write/read" OR "write-read") WITH (request\$1 OR command\$1 or operation\$1 or transaction \$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 12:53
S86	119	(@pd<"20021202" OR @ad<"20021202") AND "711".clas. AND (interleav \$3 WITH ((read near3 write) OR "read/write" OR "read-write" OR "write/read" OR "write-read") WITH (request\$1 OR command\$1 or operation \$1 or transaction\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 12:54
S87	2	"6807609".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 12:57
S88	146	(@pd<"20021202" OR @ad<"20021202") AND (interleav\$3 WITH ((read near3 write) OR "read/write" OR "read-write" OR "write/read" OR "write-read") WITH (request\$1 OR command\$1 or operation\$1 or transaction \$1)) SAME (order OR timeslot OR ahead OR time or time-slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 13:39
S89	160	(@pd<"20021202" OR @ad<"20021202") AND (interleav\$3 WITH ((read near3 write) OR "read/write" OR "read-write" OR "write/read" OR "write-read") WITH (request\$1 OR command\$1 or operation\$1 or transaction \$1)) SAME (order OR timeslot OR ahead OR time or time-slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 13:39

S90	43	(@pd<"20021202" OR @ad<"20021202") AND "711".clas. AND (interleav \$3 WITH ((read near3 write) OR "read/write" OR "read-write" OR "write/read" OR "write-read")) WITH (request\$1 OR command\$1 or operation \$1 or transaction\$1)) SAME (order OR timeslot OR ahead OR time or time-slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 13:40
S91	44	(@pd<"20021202" OR @ad<"20021202") AND "711".clas. AND (interleav \$3 WITH ((read near3 write) OR "read/write" OR "read-write" OR "write/read" OR "write-read")) WITH (request\$1 OR command\$1 or operation \$1 or transaction\$1)) SAME (order OR timeslot OR ahead OR time or time-slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 13:40

8/ 21/ 2008 4:09:33 PM

C:\Documents and Settings\mchrzanowski\My Documents\EAST\Workspaces\10727157.wsp